Pesawar

App. F. IX-4

Previous References 1935-36 (Mez) Mez File No. 208-35

Serial Nos. 1-2

Letter References.

Mes 1+2

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 2 -

Part B for March 1936

SUBJECT.

Improvements to the Gorippram and Ets Surroun Drigs

N° 1228-29 dt 2.8.36

To

WD 03607—GPB—22,500—2-8-35

The H C

& Comptr through Irrl Secs

& connections the proposals

Disbursements to Government Treasurer A.C. under Act

803

General and Revenue Secretariat | File No. | of 193 | [App. F. III—2

Serial No.

Submd for orders with a draft G. O.
Sanctg. the proposal of the H.C.

4/5/36

for approval
8/5/36

7/2
8/5/2

Gen. Secy)

GENERAL SECRETARIAT
FEB 1936
134

Asst Member
Hon'ble Secy

Forwarded with compliments to the Comptroller for favour of noting the closing balance at the credit of the Fund.

M Shamsuddin
for Sc. S.

700/8/36

11.2.36

THW.MRS

NOTE—Contn Sheet.

WD 03594—GPB—30,000—18-7 35

M.O. 20 8/12/36

803

File No. of 193 . | General a Se

671
17/2/36

P.C.No.646/Lnd.B.ii. 15-2-1936.

1) Returned with compliments.

2) The balance at the end of November 1935 up to which accounts are compiled is Rs.14,516-14-1

By request
17/2
For Comptroller.

FINANCE DEPARTMENT
17 FEB
No.

May be allowed

18/2

19.2.36.

24/2

24/2

If approved the draft G.O. in Mobile bill issue.

28/2

Draft case fair & hard.

Issue
10/3/36.

9/3

A. case 1465/4

SECRETARIAT OF THE FIRST BRANCH OF JUNIOR
24 FEB. 1936
6073

Muz 208-35-1

No C 208-35-1
Enc 2

OFFICE OF THE MUZRAI COMMISSIONER
IN MYSORE,

Bangalore, 30th January 1936.

GENL & MI 803 28 JAN 1936

FROM

K. V. ANANTARAMAN, ESQ., B.A.,
Muzrai Commissioner in Mysore

To

M. Venkatesa Iyengar, Esq., M.A.,
Secretary to the Government of His Highness
the Maharaja of Mysore,
Department.

REGD. 2 JAN.

SIR,

Improvements to the Kaviyaram Temple and its surroundings.

Adverting to G.O. No.775-79/3. dated 17-9-1935 constituting a Committee to consider the steps to be taken for the above work, I have the honor to forward herewith a copy of letter No.1328 dated 4-1-1936 from the Executive Engineer, Bangalore Buildings Division and Secretary to the Committee, requesting sanction to a sum of Rs.1,800 for ten items of work which are considered to be very urgent and the cost of which is proposed to be met from the Muzrai budget in accordance with the proceedings of the second meeting of the Committee held on 5-12-1935.

The institution has no funds to meet the cost of these works and the current year's State and General Muzrai Fund grant has been allotted to other institutions, I request that sanction of Government may be obtained to meet a sum of Rs.1,800 from the closing balances of the General Muzrai Fund.

On receipt of detailed estimates the same will be sanctioned by

A copy of proceedings and the items of work proposed to be taken up are enclosed for reference.

I have the honor to be,
Sir,
Your most obedient servant,

K V Ananthaman

Muzrai Commissioner.

Letter No.1223 dated 1-1-[illegible] from the Executive Engineer, Public Buildings Division, Bangalore, to the Muzrai Commissioner.

Estimate for improvements to Gavi Gangadhareshwara Temple and surroundings.

I have the honour to, herewith, enclose four [illegible], one [illegible] mentioned estimate. The estimate provides lumpsum amounts for [illegible] Committee appointed by Government to consider steps for improvements to the Gavi Gangadhareshwara Temple and surroundings. Some works have to be carried out urgently, early sanction to the estimate is requested. Detailed estimates will be prepared in the meanwhile.

"No copy"

Muzrai Commissioner.

Proceedings of the second meeting of the Committee appointed by Government for considering steps to be taken for carrying out certain improvements to Gavipur and Basaveswara temples and their surroundings.

The Committee met at Basaveswara Temple on the 7th December 1935 and inspected the Gavipur Temple also.

Below were present:-

1. The Chief Engineer of Mysore.
2. The Muzrai Commissioner in Mysore.
3. The Deputy Commissioner, Bangalore District.
4. The Municipal Commissioner, Bangalore City Municipality.
5. The Executive Engineer, (in charge, Bangalore Buildings Division) Secretary.

The Assistant Engineer, No.II Sub Division, Bangalore Buildings Division, and the Horticultural Engineer City Municipality, Bangalore, were also present.

Basaveswara Temple:

The estimate ~~of~~ for Rs 1,200/- comprising two parts, one for Rs 600/- for certain repairs work to the temple proper to be worked by the Public Works Department and another for Rs for planting trees and forming roads etc., as furnished by the Gardens Department was scrutinised. It was resolved that the estimates may be sanctioned by Muzrai Commissioner properly.

Gavipur Temple:

As to the improvements ~~to~~ carried out and it was resolved to send extracts to concerned departments for taking early needful action in the matter of carrying out at once such items of work as cost small sums and getting up detailed estimates for such of the works as cost a pretty good sum for placing same before the Committee at their next meeting.

In regard to the road from Gavipur temple to the last end of the Lempambudhi tank bund it was resolved to address the District Board to have the road which is said to be now in their charge brought to a state of good repairs and made motorable all through the year.

In the first instance to facilitate immediate carrying out of such of the works as are noted as urgent by the Public Works Department an estimate providing lump sum amounts for the several items may be got up and got sanctioned by the Muzrai Commissioner pending preparation of detailed estimates.

Estimate of cost of carrying out certain urgent improvements work Gavimur temple and surroundings.

Items.	Cost.	Remarks of the Committee.
1. The approach to the temple from the Northern Lock side leading to the Mantap must be improved and necessary step introduced.	Rs 100	May be done early.
2. The brick parapet wall over the temple compound wall should be entirely removed up to the stone coping.	5	To be attended to at once.
3. General repairs of Gopuram etc., thorough cleaning up inside the temple should be done and the whole place should be kept in a tidy condition befitting its historic and traditional importance.	200	May be seen to early.
4. The stones and earth over the stone umbrella in front of Hariharesware temple should be removed and a nice platform built around and the base should be repaired neatly.	30	May be done at once.
5. The sides of the verandah of Hariharesware temple should be opened out so as to secure vision across and the whole temple should be kept trim.	300	This work has to be done early.
6. The mound on which this is situated has a commanding view and should be nicely maintained as a platform with defined geometrically shaped edges and the slopes protected by boulder revirtment.	500	This work also to be urgently carried out.
7. The Rudraswamy temple and the surroundings should be kept clean and sanitary (at left end of Kempambudhi tank).	300	May be attended to.
8. The ugly looking trees in Rudraswamy temple street should be removed.	10	May be removed early.
9. The lantine edge and other wild growth should be entirely removed from the whole area.	50	-do-
10. The lane by the side of the temple should be kept in a clean condition.	30	This may be attended to so
	1,575	
Unforseen Works.	25	
	1,600.	

Executive Engineer, 3
Buildings Division,

VVE.

Items of improvements to Vaniyur temple and surroundings to be
to by the Revenue Department

No.	Items.	Cost.	Remarks of the Committee.
		Rs	
1.	The question of removing the ugly looking and dilapidated mantap and other structures by the side of the temple may be immediately investigated and necessary action taken.	500	The ownership of the mantaps should be investigated first by the Revenue Department and then further action taken by the Public works Department.
2.	The ownership of mantap east of Parthasarathy temple should be investigated and if possible should be removed.	300	After ownership is decided by the Revenue Department action may be taken by the Public Works Department to remove the mantap.
3.	The ownership of mantaps in Rudrasamy temple should be enquired into. They should either improved or dismantled	500	The Revenue Department has to settle the ownership early to facilitate P.W.D. taking further action immediately afterwards.

Executive Engineer 25/12
Buildings Division I

Items of improvements to Gavipur temple and surroundings to be nded to by the District Board, Bangalore District.

Items	Cost.	Remarks of the Committee.
The road from front of Gavipur temple to Kempambudhi tank.	₹1000/-	This is badly scoured and washed and needs to be thoroughly remitted providing proper cross culverts and the whole road is to be kept motorable during all weather. →

Executive Engineer,
Buildings Division, Bangalore.

Items of improvements to be carried out at the Guruvayur Temple and surroundings by the municipality.

	Items.	Cost Rs	Remarks of the Committee
	The water supply pressed steel storage tanks by the side of the temple should be removed from the vicinity and fixed suitably in a more inconspicuous place.	900	If there was necessity to have the tank, it would be better to fix it up in the hill slope fully below ground and cover the same ground with grass plots and flowering shrubs.
	The exposed water supply pipe line leading to the village of Guruvayur should be suitably be strengthened and protected	30	The line may be realigned so as to be wholly covered in ground as this would prevent damage to pipe line also.
	The available stones and slabs from the dilapidated and unserviceable ponds in Kudappuramy temple road may be made use of another work and the ponds filled up.	500	Ownership of the ponds may be ascertained and very soon and action taken.
	Special watch should be arranged to prevent the committing of nuisance etc., in the entire premises round the temples.	Sanitary Inspection staff to be kept. 100	Sanitary Inspection in this direction is necessary.
	The insanitary cattle sheds by the side of the road should be closed at once and some of them closed off to prevent water stains	200	This has to be seen to at once.
6.	The old tea shed (shop) put up on the northern side of the road at the junction of the roads should be removed.	10	This can be got done without any loss of time.
7.	The sullage from the choultry and the mouth should be led to the other side of the road in a pipe below the ground and the area by the side of the choultry should be kept sanitary and clean.	30	-do-
8.	Necessary repairs should be done for the road leading to Guruvayur village by putting more crossbars and old stone revetment to the sides.	500	This has also to receive attention very early.
9.	The slab latrine to the west may be shifted to a more inconspicuous but more useful place.	50	This may be done soon.
10	The approach road both to the temple and the village is badly scoured. The drainage should be improved by introducing cross drains under the road and the whole road tidied up.	See Item No.5	-do-

	washing of clothes and silk yarn in the hompembudhi tank should be prevented and, the foul waters from the chattram and Guttahalli villages should be directed to the under ground main sewers near by. The Sanitary Engineer to be consulted and necessary action taken.	8,000	A dhobi ghat to be constructed and washing restricted to that place only.
12.	The construction of a regular Dhobi ghat may be taken up	See item No.11	See above.
13.	Formation of a regular motorable approach road to the tank bund from Chamarajpet side may be taken up.	2,500	Detailed estimates may be got prepared very early for a road from V road to the top of tank bund and project taken up.
14.	The present pathway leading to the tank from the main road may be widened to about 20 ft. and maintained in good condition.		In case the above work is taken up this ~~dhobi~~ item may be dropped.

Executive Engineer,
Buildings Division.

G. R. S App F VI—G 2]

SUBJECT .....

.....

.....

Diary. No. of letter replied to.....

Section Misc

File No. 208-38

Serial No. 2

General and Revenue Secretariat

( )

the *193* .

Proceedings of the Government of His Highness the Maharaja of Mysore.

Date of issue 3-3- ...1936.

Signed by Mr B. Muddukrishna Rao

May this be—

(i) printed?

(ii) treated as a standing order?

(iii) published in the Gazette, English Part? 21

(iv) translated?

(v) placed at the disposal of the press?

(vi) published in the Gazette, Kannada Part?

Read— G.O. No 775-79 S dated 17.9.1935 constituting a Committee to consider the steps to be taken for effecting improvements to the Gavipuram Temple and its surroundings, in Bangalore City.

letter No C 630/3576 dated 20.12.35 from the H.C in Mysore forwarding a copy of letter dated 2.1.1936 from the Executive Engineer, Bangalore Civil Division, and mentioned copy to the above Committee requesting sanction to the expenditure of a sum of Rs 1600/- for the items of work which are considered necessary to be done

Order thereon.—No.

Report and the cost of which is proposed to be met from the Aligarh Funds ~~Funds~~ budget in accordance with the proceedings of the Second meeting of the Committee held on 5.12.1935 ~~and Requesting Sanction to meet~~ the expenditure being met ~~the said amount Rs 1600~~ from the closing balance of the Aligarh Funds.

No 1228-29

The ~~proposals recommendation~~ of the M.C are Sanctioned. 2-3-36

List of Enclosure

5/2/36 Local Govt Upon R 4/—

To Note

The M.C in Mgke

" Comptroller to pass

Vide Peter — Copied by

Examined by

80

35: 36

OFFICE OF THE MUZRAI COMMISSIONER,
IN MYSORE,

Dated, Bangalore, 28th February..... 1936.

2 March 961

FROM K. V. ~~MADHAVA RAO~~, Esq., B.A., B.L.,
~~N. MADHAVA RAO, Esq., B.A., B.L.,~~
Muzrai Commissioner in Mysore. 4 March

To

H. Venkatesa Iyengar, Esq., M.A.,
Secretary to the Government of His Highness
the Maharaja of Mysore,
General *Department.*

GENERAL [illegible]

SIR, 1/3/3

I have the honour to invite a reference to this office letter No.C.630/35-36 dated 30th January 1936 and to the 30th January 1936 on the above subject, and to request that you may be so good as to obtain early sanction of Government in the matter.

I have the honour to be,

Sir,

Your most obedient servant,

K V Ananda Tarangam

Muzrai Commissioner.

The recommendation of the M.C on the above request has been sanctioned and the G.O in the same has been sent to the P.C Secretariat for communication to the concerned. The Return of the connected file will be awaited & added to file subsequently received back and the same is perused when it has been sent to the Revenue Department also. No further action is called for.

20/3/1936 Rec 10/3 11/3

V 20/3

B 11/3

Rec 5/3/36 disposed 5/3/36

E 16/3